

## **SPREAD THE WORD**

We can fight the spread of head lice but we need to all work together.

## CHECK • The child's hair once a week

- Use a detection comb to trap head lice, preferably white in colour so they can easily be seen
- If you find live lice, consult your pharmacy team for treatment advice
- If head lice are spotted, take a close look at all the family, including yourself, and ask close family and friends to check as well **TREAT**
- Only treat if live lice are identified
- Use a clinically proven treatment. Those with a physical mode of action present no known risk of lice resistance
- Leave the treatment **on for the recommended time for maximum effect –** leaving it on for longer will not make it more effective **COMPLETE**

## • Check that all head lice have gone within 2-3 days of the final application to complete the treatment

- If the pack instructions specify that a second application is required, repeat the treatment seven days after the first application to kill any nymphs which have hatched since the first treatment was applied
- The remaining nits need to be removed, so to avoid hair breakage and for the easy removal of nits, try a gel-based product carrying lubricant oil, which chemically loosens the bond between the egg and the hair, allowing the egg to slide off easily using a comb
- Continue to check for head lice on a regular, weekly basis
- Regular use of a leave-in conditioning spray (1% octanediol), clinically proven to protect against head lice infestations, can help prevent future outbreaks by killing lice before they have chance to spread

## **How to check for Headlice**

- Checking for head lice shouldn't be considered a big deal, it's just a normal part of a family's personal hygiene routine like brushing teeth or washing hair
- It's best to check for head lice using a comb made for the purpose, ideally white so they can be easily seen and with teeth no more than 0.3mm apart in order to trap head lice (ask your pharmacist)
- Combing through the hair when wet, or after applying a conditioner, may make the process more comfortable
- Good lighting is important and so is comfort to ensure the child stays still. Perhaps distract the child with the TV or reading a book

Your home is a lice free zone Head lice do not survive away from the head. Therefore, there's no fear of lice spreading to clothes, furniture or bedding so excessive cleaning is not needed. If live lice are found on one member of your family, simply check everyone's hair and then treat as necessary

True - Head lice can only transfer from a child's head through moderately prolonged head-to-head contact

False - Head lice can jump from one head to another
Use the back of this sheet to record when you check your child/children